Renaming Filename

This command changes the file name.

Press the main "Renaming File" button and you will see a table view like the one on the right.

Munsell Viewer

RenameFile (in Dir UserLoad)

✓ R-50-2nd.txt
2019/07/09 09:36:13   139 bytes   ›

R-50-1st.txt
2019/07/08 03:18:27   139 bytes   ›

[Back]   RenameFile

Munsell Viewer

filename to rename

New Filename (able to use CR)

original filename   Insert

R-50-2nd.txt

[Cancel]   DoRename

Select the file whose file name is to be renamed, and press the "RenameFile" button on the toolbar to display the view as shown on the right.

In this state, when the "Insert" button is pressed, the text described as original filename is transferred to the text view for file name input as shown in the left figure.

Then, it released the keyboard and changed the last "2nd" to "3rd" as shown on the right.

filename to rename

New Filename (able to use CR)

R-50-3rd.txt

Insert

original filename

R-50-2nd.txt

[Cancel]   DoRename

RenameFile (in Dir UserLoad)

R-50-3rd.txt
2019/07/09 09:36:13   139 bytes >

R-50-1st.txt
2019/07/08 03:18:27   139 bytes >

Renamed

OK

[Back]   RenameFile

After entering the changed file name, press the "DoRename" button on the toolbar to execute the file name change.

After execution, a report message will appear as shown on the right.

Munsell Viewer

RenameFile (in Dir UserLoad)

R-50-3rd.txt		>
2019/07/09 09:36:13	139 bytes	
R-50-1st.txt		>
2019/07/08 03:18:27	139 bytes	

[Back]　RenameFile

Thus, "R-50-2nd.txt" is "R-50-3rd.txt".